


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	--



RED BARN MACHINE
FOAM CUT OUTS


UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ON:
DECIMALS .XXX ± .005 FRACTIONS ± 1/32
.XX ± .01 ANGLES ± 5°
.X ± .1

UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES
.015 x 45° PR, .015 R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

PART #	QTY	DESCRIPTION	USED ON MODEL
-6	1	POLYETHYLENE FOAM	?
--	1	-	
--	1	-	


DWG NO. 145G0286 REV
SCALE NTS DATE 11-9-05 SHEET 1 of 1

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



			DRAWN BY: PERRITT	TITLE	
			APPROVED	RED BARN MACHINE	
			HEAT TREAT		
			FINISH SPEC	SHIM	
			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 XX ± .01 ANGLES ± .5° X ± .1		
PART #	QTY	DESCRIPTION	USED ON MODEL	DWG NO. 114D6264-1,-11 REV	
-1	1	4130 11.625 x 11.625 x .09	?	SCALE NTS DATE 10-07-05 SHEET 1 of 3	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR 015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING					

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



PART #	QTY	DESCRIPTION	USED ON MODEL
-1	1	4130 Ø12.75 x .09	?
-2	1	4130 Ø9.625 x .09	
-5	1	4130 3.5 x 6 x .09	

DRAWN BY: PERRITT
 APPROVED
 HEAT TREAT
 FINISH SPEC --
 UNLESS OTHERWISE SPECIFIED
 DIMENSIONS ARE IN INCHES
 TOLERANCES ON:
 DECIMALS .XXX ± .005 FRACTIONS ± 1/32
 .XX ± .01 ANGLES ± 5°
 .X ± .1
 UNLESS OTHERWISE SPECIFIED
 1. BREAK ALL SHARP EDGES
 .015 x 45° PR. 015 R
 2. DIMENSIONAL LIMITS APPLY AFTER PLATING


RB RED BARN MACHINE

TITLE

SHIM


DWG NO. 114D6264-1,-11 RI
 SCALE NTS DATE 10-07-05 SHEET 1 of 3

REVISIONS			
REV	DESCRIPTION	DATE	APPROVE




			DRAWN BY: PERRITT	RED BARN MACHINE		
			APPROVED			
			HEAT TREAT			
			FINISH SPEC	BLACK OXIDE		
			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			
			TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1			
			UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR. .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
PART #	QTY	DESCRIPTION	USED ON MODEL	TITLE		
-5	1	4130 3.5 x 6	?	DWG NO. 114D6264-5,-15 RI		
				SCALE NTS	DATE 9-15-03	SHEET 3 of 3

REVISIONS			
REV	DESCRIPTION	DATE	APPROVE



DRAWN BY:	PERRITT	TITLE	RED BARN MACHINE	
APPROVED				
HEAT TREAT				
FINISH SPEC	--			
USED ON MODEL	?			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1				
PART #	QTY	DESCRIPTION	DWG NO. 114D62664-2,-12 RI	
-2	1	4130 Ø9.625	SCALE NTS	DATE 10-07-05 SHEET 2 of 2



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

NOT APPROVED FOR PRODUCTION

PART #	QTY	DESCRIPTION	USED ON MODEL	DRAWN BY:	APPROVED	HEAT TREAT	FINISH SPEC	TITLE	DWG NO.	SCALE	DATE	SHEET			
-1	1	41L40 Ø5/8 x 3/4	?	PERRITT			BLACK OXIDE	RED BARN MACHINE		NTS	9-15-03	1 of 1			
				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 XX ± .01 ANGLES ± 5° X ± .1				UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR. .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING				TITLE		PART # RI	

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	4140 3/16 x 1 1/2 x 4

DRAWN BY: PERRITT	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	TITLE DWG NO. SCALE NTS DATE 9-15-03 SHEET 1 of 1	RB RED BARN MACHINE
CHECKED			
HEAT TREAT			
FINISH SPEC			
USED ON MODEL ?			